# FUZ FELT

## FUZ Screen

# Product Specifications

### Description

FUZ Screens are hanging dividers that add privacy and style to any given space. FUZ Screens are offered in many different colours and designs.

### Dimensions

Thickness: 9mm
Height: 95"
Width: 47.5"
Custom sizes available

### Content

100% polyester PET fibre material

### Application

Hanging divider

### Acoustic Performance

NRC rating up to 0.63

### Fire Rating

ASTM E-84 - Class A

### Maintenance

Vacuum to remove general air-borne debris

### Installation

U-Clamp, u-channel, or sliding track

7'-11"

3'-11$\frac{1}{2}$"

# FUZ Screen Hardware

# FUZ Screen Designs









*Various other designs available upon request.

# Colour Selection

Colour 105

Colour 104

Colour 706

Colour 132

Colour 133

Colour 134

Colour 111

Colour 101

Colour 821

Colour 825

Colour 619

Colour 620

Colour 214

Colour 512

Colour 410

Colour 409

# Acoustic Performance



| | 100 | 125 | 160 | 200 | 250 | 315 | 400 | 500 | 630 | 800 | 1000 | 1250 | 1600 | 2000 | 2500 | 3150 | 4000 | 5000 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 9mm | 0.35 | 0.36 | 0.31 | 0.41 | 0.44 | 0.47 | 0.48 | 0.51 | 0.55 | 0.58 | 0.63 | 0.73 | 0.81 | 0.84 | 0.88 | 0.96 | 0.99 | 1 |

FREQUENCY (HZ)

NRC 0.63
SAA 0.64

Refer to the ASTM C423 chart for individual values of Absorption coefficients/ frequency.

NRC ratings are subject to various circumstances such as mounting conditions and analytical properties.